

Występowanie gadożera *Circaetus gallicus* w Lasach Janowskich i Lipskich

The occurrence of short-toed eagle *Circaetus gallicus* in Janowskie and Lipskie Forests (SE Poland)

ADAM FLIS

*Instytut Ochrony Przyrody PAN
31–120 Kraków, al. A. Mickiewicza 33
e-mail: flis@iop.krakow.pl*

Słowa kluczowe: gadożer, *Circaetus gallicus*, ptaki szponiaste, Lasy Janowskie, Lasy Lipskie.

W artykule przedstawiono dane dotyczące występowania gadożera *Circaetus gallicus* w Lasach Janowskich i Lipskich w latach 1990–2011. Gadożer należy do najrzadszych szponiastych ptaków lęgowych Polski, a liczebność jego populacji lęgowej szacuje się na 10–15 par. Został zamieszczony w *Polskiej czerwonej księdze zwierząt* jako gatunek skrajnie zagrożony wyginięciem. Ostatni lęg gadożera w Lasach Janowskich stwierdzono w okolicy wsi Pikule (pow. janowski) w 1990 roku. W Lasach Lipskich odnaleziono w 1992 roku martwego młodego, jeszcze Nielotnego ptaka, co jednoznacznie dowodzi lęgu, jednakże gniazda nie udało się zlokalizować. W latach 2001–2004 oraz 2008–2011 gadożer był wielokrotnie rejestrowany w Lasach Janowskich i Lipskich, jednak gniazd również nie odnaleziono. Stwierdzono natomiast nowe stanowisko lęgowe gadożera na południe od Lasów Janowskich w 2010 roku.

SUMMARY

The paper presents data of short-toed eagle *Circaetus gallicus* occurrence in the Janowskie and Lipskie Forests (south-eastern Poland) in the years 1990–2011. The short-toed eagle is an extremely rare bird of prey breeding in Poland and its population is estimated at 10–15 pairs. The discussed species is included in the *Polish Red Data Book of Animals* with the CR category (critically endangered). The last confirmed breeding site of the short-toed eagle in Janowskie Forests was found in 1990 near the village of Pikule (Janów Lubelski district). In spite of finding a dead young flightless bird in Lipskie Forests in 1992, the exact location of short-toed eagle nests in this area was not confirmed. In 2001–2004 and 2008–2011, the short-toed eagle was recorded during the breeding season in Janowskie and Lipskie Forests, but a nest was not found. In 2010, however, a new breeding site of this rare bird was confirmed to the south of Janowskie Forests.